

## EXPLANATORY NOTE

The Churchyard Regulations for the Diocese of Chichester are to be revoked and replaced by the Additional Matters Order set out below. It is not intended that there be any significant change to the type of memorial which may be introduced into churchyards with the authority of parochial clergy. However the procedure will be different in the future under this Order. Hitherto parochial clergy exercised a power informally delegated to them by Diocesan Chancellors to permit the introduction of memorials falling within defined types and categories. The legal basis for such informal delegation was considered insufficiently robust and there is now an express statutory power under section 78 of the Ecclesiastical Jurisdiction and Care of Churches Measure 2018 (as amended) for Diocesan Chancellors to make Additional Matters Orders authorising works to be undertaken in church or churchyards without the need for a faculty, augmenting those matters already included in Lists A and B. This Order therefore permits memorials which comply with the requirements in Schedule 1 to be erected in churchyards provided the minister responsible has granted permission following the procedure in Schedule 2. The process will be familiar to clergy, churchwardens and memorial masons and no substantive changes are involved, but the form to be used (which may be completed electronically) is new. The specifications for qualifying memorials have been altered (in form if not in substance). This represents a co-ordinated response by diocesan chancellors to disquiet expressed at the differences between the diocesan regulations, and the difficulty this caused for clergy moving between dioceses. Instead, a generic pro-forma has been agreed in anticipation of a universal roll-out throughout the Church of England. The pro-forma allows for minor variation particularly in relation to tablets marking the interment of cremated remains and so-called 'open book' memorials. Such items were excluded from the pre-existing Churchyard Regulations for the Diocese of Chichester and they remain so. Accordingly, they do not appear in Schedule 1 of the Order, and consequential references are also omitted. Conversely, horizontal ledgers continue to be included even though they are not covered by the generic draft. For convenience, and to ensure consistency with the generic pro-forma and the Orders of other dioceses, where text is omitted the numbering is retained.



### **In the Consistory Court of the Diocese of Chichester**

### **Additional Matters Order No 1 of 2026**

### **Churchyard Memorial Regulations**

1. This Additional Matters Order is made on Easter Day, 5 April 2026, pursuant to the power contained in section 78 of the Ecclesiastical Jurisdiction and Care of Churches Measure 2018 (as amended).
2. The advice of the Diocesan Advisory Committee has been sought prior to the making of this Order as required under section 78(4) of the Measure.
3. The matters specified in Schedule 1 to this Order may be undertaken without a faculty provided the procedure specified in Schedule 2 to this Order is followed.
4. Should any question arise as to whether a particular proposal constitutes a matter specified in Schedule 1, it is to be referred to the Chancellor by the minister for determination.

5. Application may be made to the Chancellor by the minister in relation to a particular proposed memorial for directions as to matters which are not specified in Schedule 1, but which are of a similar or comparable nature. The Chancellor may direct that such matters be treated as if they were so specified.
6. This Order applies to the whole of the Diocese, save for any churchyard or burial ground expressly excluded by direction of the Chancellor. It does not extend to the consecrated parts of municipal cemeteries operated by local authorities.
7. Particular Churchyard Regulations previously authorised by faculty in respect of individual churchyards or burial grounds will continue in force where applicable until such time as the Chancellor directs otherwise.
8. For the purposes of this order, the term 'minister' shall be taken to mean the incumbent of the benefice in which the burial ground is situated. If there is no incumbent, or the benefice is for whatever reason vacant, then the person acting as priest in charge of the parish or the curate licensed to the charge of the parish shall be treated as the minister. If there is no priest or curate of that description (or if any of the aforesaid persons is unable or unwilling to act), the rural dean of the deanery in which the parish is situated shall be deemed to be the minister. In case of doubt, the matter may be referred to the chancellor whose direction as to who shall be treated as minister for the purposes of this Order shall be conclusive.<sup>1</sup>
9. This order shall come into force on Easter Day, 5 April 2026.
10. A copy of this Order is to be filed in the diocesan registry in accordance with section 78(5) of the Measure.



The Worshipful Mark Hill KC  
Chancellor of the Diocese of Chichester

5 April 2026

---

<sup>1</sup> This may include the designation of a Team Vicar as 'minister' in respect of a particular burial ground.

# Schedule 1

## Matters Not Requiring a Faculty

### Part 1. General Provisions

- 1.1 The matters which may be undertaken without a faculty are:
- (a) the introduction of a new memorial that complies with the specifications in Part 2 of this Schedule;<sup>2</sup> and
  - (b) the repair or alteration of an existing memorial as described in Part 3,

provided that they have been approved in accordance with the procedure set out in Schedule 2.

- 1.2 In this Schedule,

“base” means the component supporting a memorial on its foundation;

“cremated remains tablet” means any memorial placed over interred cremated remains other than a headstone or lawn memorial which fully complies with the requirements of this Schedule;<sup>3</sup>

“foundation” means the element that connects a memorial to the ground and transfers the load from the memorial to the ground; the top surface of the foundation being flush with the surrounding ground or below ground level;

“grave” means a place of burial below ground level;

“headstone” means a “lawn memorial” or a “monolith memorial” erected at the head of a grave;

“incised” in relation to lettering, motifs, emblems or other images, includes being cut either by hand or by machine;

“inscription plate” means a stone forming part of a memorial, into which is incised lettering relating to the person whose body is buried there or whose death is being commemorated;

“lawn memorial” means an independent vertical inscription plate attached to a horizontal base which is fixed to a foundation;

“memorial” means a freestanding object installed in a churchyard in memory of the deceased;

“monolith memorial” means an independent vertical inscription plate set in a concrete foundation which is set directly into the ground;

“relief” in relation to lettering, motifs, emblems or other images, refers to such being carved either by hand or by machine

---

<sup>2</sup> A memorial may only be introduced if the remains or ashes of the person to be commemorated are interred in the burial ground concerned and the memorial marks their location.

<sup>3</sup> Note that cremated remains tablets are NOT (and have never been) routinely permitted in the Diocese of Chichester: save where provision is made within designated Gardens of Remembrance for which there are separate regulations under faculty. Alternatively, an individual faculty may be sought. Subsequent references in this Schedule to cremated remains tablets have accordingly been omitted.

“the British Standard” means British Standard BS 8415:2018 *Memorials within burial grounds and memorial sites – Specification*<sup>4</sup>, or any similar standard that may replace BS 8415:2018;

“wooden cross memorial” means a memorial in the form of a wooden cross erected at the head of a grave, into which is incised the name of the person commemorated and the date on which that person died.

## Part 2. The Introduction of a New Memorial

### *Basic principle*

- 1.3 Any new memorial is erected so as to comply with the details specified in the British Standard, so far as relevant.


### *The form of a new memorial*

- 1.4 The memorial is:

- (a) in the form of a headstone;
- (b) in the form of a wooden cross memorial;<sup>5</sup>
- (c) in the form of a lawn memorial erected by or on behalf of the Commonwealth War Graves Commission;
- (d) [Omitted for the Diocese of Chichester]
- (e) [Omitted for the Diocese of Chichester]
- (f) in the form of a horizontal ledger.<sup>6</sup>

- 1.5 In the case of a headstone, the shape of the inscription plate is one of those in Diagram 1, or one similar to one of the shapes in that diagram.

Diagram 1



- 1.6 In the case of a wooden cross memorial, adequate provision is made to prevent premature degradation below ground level.
- 1.7 [Omitted for the Diocese of Chichester]
- 1.8 The memorial does not include attached plaques, or kerbs, railings, chippings, statues, or other objects.
- 1.9 The memorial is located so that no part of it is closer than 1500mm to the wall of the church.

<sup>4</sup> Copies of this may be inspected at major public libraries, or from some memorial masons.

<sup>5</sup> Made from native hard wood.

<sup>6</sup> Any such ledger must either be flush with the turf or raised not more than 225mm above a base extending not less than 75mm all round and itself flush with the turf (inclusive measurements not more than 2100mm by 900mm).

*The dimensions of the memorial*

1.10 In the case of a headstone:

- (a) the height of the memorial is between 450mm and 1220mm;
- (b) the width of the inscription plate is between 375mm and 915mm;
- (c) the thickness of the inscription plate fixed to a base is between 75mm and 105mm;
- (d) the thickness of a slate monolith is between 38mm and 105mm;
- (e) the base, if any, is not larger than 915mm in width, 460mm in depth (front to back), and 155mm thick.

1.11 In the case of a wooden cross memorial:

- (a) the height of the cross is between 750mm and 1220mm;
- (b) the width of the cross is between 500mm and 815mm;
- (c) the thickness of the timber is between 40mm and 55mm; and
- (d) the section of the memorial below the ground is at least one third of the height of the section above the ground.

1.12 [Omitted in the Diocese of Chichester]

1.13 [Omitted in the Diocese of Chichester]

1.14 The height of a memorial is to be measured from ground level; and in the case of sloping ground or ground that has been re-contoured to accommodate the burial, "ground level" is the level of the ground immediately adjacent to the centre point of the rear of the base once the interment has been completed.

*The materials and colour of the memorial*

1.15 In the case of a headstone,<sup>7</sup> it is made of slate or one of the following types of natural stone:

- (a) sandstone;
- (b) limestone; or
- (c) granite.

1.16 The colour of the slate or stone is not such as to render the memorial discordant in the context of the church and churchyard.

1.17 In the case of a headstone, the principal surface of the inscription plate is not polished or reflective.

1.18 [Omitted in the Diocese of Chichester]

---

<sup>7</sup> Reference to 'cremated remains tablet' omitted for the Diocese of Chichester.

*The inscription on the memorial*

1.19 Any inscription is:

- (a) factually accurate;
- (b) not considered by the minister to be likely to be offensive or controversial for any reason; and
- (c) not inconsistent with Christian doctrine.

1.20 The inscription includes:

- (a) the name of the person being commemorated (which may be or may include the name by which that person was generally known); and
- (b) the date or year in which that person died; and
- (c) either the date or year in which that person was born, or the age of that person at death.

1.21 Where any text in the inscription is in a language other than English, a translation has been supplied to the minister for retention in the parish records

1.22 Any lettering is

- (a) uncoloured; or
- (b) coloured as follows: Nabresina limestone may have lettering picked out in contrasting matt; and slate and granite in off-white matt.<sup>8</sup>

1.23 Any lettering on:

- (a) the inscription plate of a headstone;
- (b) a wooden cross;

is either incised into the memorial or in relief and not more than 100mm in height.

1.24 In the case of a headstone, any motif, emblem or other image forming part of the design of the memorial:

- (a) is of a character commonly found in churchyard memorials, or is relevant to the life of the person commemorated;
- (b) is a fitting complement to the wording forming the rest of the design;
- (c) does not exceed 33% of the face of the headstone; or, if there is more than one such, no more than 33% in total';
- (d) is either incised into or in relief of the stone;
- (e) is uncoloured, or coloured in such a manner that the memorial is not discordant in the context of the church and churchyard in a single colour; and
- (f) is not inconsistent with Christian doctrine.

---

<sup>8</sup>This limitation is specific to the Diocese of Chichester.

- 1.25 In the case of a headstone, there is no trademark or advertisement except for a reference to the mason (in lettering not higher than 15mm on the side or the reverse of the memorial).
- 1.26 The memorial does not contain a QR code, or any other device intended to enable direct communication with an electronic resource.

### **Part 3. The Repair or Alteration of an Existing Memorial**

- 1.27 Any existing memorial being repaired or altered has been lawfully introduced into the churchyard, or has been in place for at least six years.
- 1.28 If a memorial is removed and re-erected in the course of being repaired or altered, it is re-erected so as to comply with the details specified in the British Standard.
- 1.29 Any alteration of or addition to the inscription on a memorial is in the same style and finish as the original inscription; and the inscription on the memorial as altered complies with the paragraphs 1.19 to 1.26 above.

## **Schedule 2**

### **Approval Procedure**

The procedure to be followed prior to the undertaking of any matter contained in Schedule 1 is as follows.

- (a) An application in the form annexed to this Schedule<sup>9</sup> is to be sent to the minister (as defined in paragraph 8 of the order);
- (b) Such form is to be duly signed by the applicant(s) and memorial mason;
- (c) If the minister or other authorised person gives permission, this is to be endorsed in writing in the relevant section of the form, whereupon the matter may proceed;
- (d) If an applicant petitions for a faculty to admit the said memorial, then for that purpose, under rule 20.6 of the Faculty Jurisdiction Rules 2015 (as amended), it is directed that the form annexed to Schedule 2 may be treated as the petition.

#### **Important Warning**

Any memorial erected otherwise than in accordance with this procedure, or with the authority of a faculty granted by the Chancellor, may lead to enforcement proceedings in which the Consistory Court may order removal of the memorial at the expense of the person or persons responsible, who may also be required to pay the court costs of such proceedings.

---

<sup>9</sup> An electronic version of the form may be downloaded from the Consistory Court page of the Diocesan website. Copies may also be obtained from the Diocesan Registry.